

Assessing our nitrogen inheritance

Lead author: **Mark A. Sutton**

Contributing authors: **Clare M. Howard, Jan Willem Erisman, Gilles Billen, Albert Bleeker, Peringe Grennfelt, Hans van Grinsven and Bruna Grizzetti**

1.1 A new challenge from a past solution

Human perturbation of the nitrogen cycle represents a major example of global geo-engineering. Historically, the limited availability of reactive nitrogen compounds has provided a key constraint to human activities. Although the element nitrogen is extremely abundant, making up 78% of the Earth's atmosphere, it exists mainly as unreactive di-nitrogen (N_2). By contrast, to be useable by most plants and animals, reactive nitrogen (N_r) forms are needed. These include oxidized and reduced nitrogen compounds, such as nitric acid, ammonia, nitrates, ammonium and organic nitrogen compounds, each of which is normally scarce in the natural environment.

The two main historical needs for reactive nitrogen have been to provide fertilizers to increase food production and as a basis for the manufacture of munitions. Biological nitrogen fixation has always added new reactive nitrogen into the system, but the inputs have been barely sufficient for human needs. As a result, traditional agricultural production was highly dependent on effective recycling of nitrogen in manures.

By the end of the nineteenth century, an increasing human population combined with expanding military needs required that large amounts of extra reactive nitrogen be added into circulation. These demands were met by increased mining of reactive nitrogen deposits, including Chile saltpetre and guano, supplemented by the extraction of reactive nitrogen from coal and peat (Vincent, 1901; Clow and Clow, 1952; Watt, 2003; Sutton *et al.*, 2008). The western world had effectively become a 'fossil nitrogen economy', as both food and military security depended critically on these nitrogen sources (Erisman *et al.*, 2008; Sutton *et al.*, 2009).

Increasing dependence on these fossil nitrogen reserves was, naturally, not sustainable. The 'nitrogen problem' of the time was that many of the mined nitrogen supplies were becoming exhausted, and that these would soon be insufficient to meet the needs of a rapidly growing world population. As Sir William Crookes famously pointed out to the British Association, if sufficient wheat were to be produced to feed the world, new efforts would be urgently needed to find commercially viable ways of fixing atmospheric di-nitrogen into reactive nitrogen (Crookes, 1898; Leigh, 2004). Potentially, the atmosphere represented a nearly inexhaustible supply from

which to manufacture reactive nitrogen, limited only by the energy costs of chemical production.

Efforts at industrial nitrogen fixation were intensified, including development of the cyanamide process and the arc process. Both of these were extremely energy expensive. However, by 1908 Fritz Haber in Germany had filed his patent for the direct 'synthesis of ammonia from its elements', in a new process with greatly reduced energy costs (Haber, 1920; Smil, 2001; Leigh, 2004). Following commercial upscaling of Haber's method by Carl Bosch, large-scale chemical production of reactive nitrogen became economic. The 'nitrogen problem' of the early twentieth century rapidly became a thing of the past (Partington, 1925), and by the 1950s, the Haber–Bosch process had replaced fossil reserves as the main source of additional reactive nitrogen.

The scale of the Haber–Bosch achievement cannot be overestimated. It represents perhaps the greatest single experiment in global geo-engineering that humans have ever made, underpinning present day food and military security. By allowing the human population to expand, it can equally be considered as laying the foundation for all other aspects of global change. Thus it is only through synthetic nitrogen fertilizers that humanity has been able to reach 6 billion people, around half of whom would not be alive without it (Erisman *et al.*, 2008). Future projections of the human population depend even more strongly on increasing global production of nitrogen fertilizers.

Together with human-driven increases in crop biological nitrogen fixation, this great effort of geo-engineering has more than doubled the global production of reactive nitrogen compared with pre-industrial levels (Galloway *et al.*, 2008). This extreme change has knock-on effects in other element cycles, both through direct biogeochemical interactions, and because increased nitrogen has allowed the human population to grow, thereby fuelling additional resource use and global change.

It is as a result of this great increase in nitrogen fixation that we now reap our 'nitrogen inheritance'. In learning to produce additional reactive nitrogen, humans have largely failed to manage its implications for the natural environment. Fundamentally, agricultural practices have a low nitrogen-use-efficiency, especially under increasing nitrogen inputs. As a result, losses of reactive nitrogen to the environment

have increased greatly, including nitrate pollution of water courses and emissions of both ammonia and nitrous oxide to the atmosphere, with impacts on biodiversity and climate change. In parallel with these changes, humanity has found itself releasing reactive nitrogen directly into the atmosphere through high-temperature combustion processes in industry and transport, which convert atmospheric di-nitrogen to nitrogen oxides. These nitrogen compounds are produced unintentionally and react to form ozone and particles in the air we breathe, damaging human health. Even with this brief listing of issues, it is clear that human alteration of the nitrogen cycle is having consequences that could not have been foreseen a century ago.

Just as society has realized the climate implications of fossil fuel combustion, we now appreciate that our nitrogen inheritance is not all good. With reactive nitrogen, humanity has managed to feed the world, but at the same time has created a complex web of impacts occurring through air, land and water that threaten our global environment.

1.2 Challenges for a nitrogen assessment

Research on alteration of the nitrogen cycle is not new. Together with the environmental consequences of excess reactive nitrogen, we also inherit a wealth of scientific literature that covers the wide diversity of nitrogen processes, sources and impacts. Key scientific resources include the assessments brought together by the Scientific Committee on Problems of the Environment (SCOPE) (Söderlund and Svensson, 1976; Blackburn and Sorenson, 1988) and by the Royal Society of London (Stewart and Rosswall, 1982), including a recent assessment of the nitrogen cycle in agriculture (Mosier *et al.*, 2004).

While these studies provide an important foundation, it must be recognized that there has never before been a

comprehensive continental-scale assessment covering all the main effects of nitrogen. This may be partly a reflection of the extreme complexity of the nitrogen cycle, with scientific specialization tending to separate the different research communities. It is easy to see, for example, how research into the atmospheric chemistry of oxidized nitrogen species can be sufficient to develop scientific communities that have little awareness of research into carbon-nitrogen interactions in forestry, of the biodiversity implications of nitrogen deposition, or of the consequences of nitrogen-phosphorus interactions for ‘dead zones’ in coastal waters.

In parallel with the trend toward scientific specialization, environmental policies have gradually begun to address the threats posed by excess reactive nitrogen. Such policy domains have developed in a piecemeal fashion until now, generally focusing on individual threats. With the needs of existing policies feeding research agendas, this has led to further separation of the many nitrogen research communities.

The consequence of these trends is that, in Europe at least, we now inherit a huge scientific expertise on different aspects of the nitrogen problem, together with a disparate set of nitrogen-relevant policies. In principle, there is therefore a huge resource to develop mitigation strategies to the different environmental threats. By contrast, the limited degree of coordination between these activities can mean that they are far from optimal. After the production and release of a new reactive nitrogen molecule, it may be transformed many times, having multiple effects in the environment before eventually being immobilized or denitrified back to di-nitrogen. This idea of a ‘nitrogen cascade’ including many nitrogen forms and impacts means that substantial interactions can be expected between different policies related to nitrogen (Figure 1.1). In principle, there are serious risks, for example, as measures to reduce nitrogen water pollution




Figure 1.1 Simplified summary of the nitrogen cascade illustrating the example losses, transformation and effects of reactive nitrogen (N_r) fertilizers in the environment. Similar images can be drawn to illustrate the cascade of N_r forms following fossil fuel emissions and crop biological nitrogen fixation.

can increase reactive nitrogen pollution in the air, illustrating the potential for ‘pollution swapping’. By contrast, there are also major opportunities to exploit synergies and to identify win–win situations, where several forms of nitrogen pollution are reduced at the same time, while also minimizing other environmental threats.

With these issues in mind, it is clear that the challenges faced by a nitrogen assessment are rather different to the challenges of recent climate assessments. Rather than focusing on a single central question of whether human alteration of the nitrogen cycle is leading to environmental change, the present assessment takes the undoubted evidence of nitrogen impacts as a starting point. The central challenge of the present assessment is to draw together the different aspects of ‘nitrogen change’ to develop a more coherent understanding of how they fit together. This must be the foundation for identifying options for better nitrogen management, and for explaining the key messages to society. In this respect, the present assessment can be seen as initiating a process of integration and communication between nitrogen scientists of different disciplines, between scientists, industry and policy makers, and finally between scientists and the public at large. There is no doubt that the complexity of nitrogen forms, processing and impacts in the environment hinders public understanding. The scope of this assessment must therefore include considering how the nitrogen challenge facing humanity can be communicated more effectively.

1.3 Approach of the European Nitrogen Assessment

In developing a first continental nitrogen assessment, it is clear that Europe has a key role to play. Given its role in the history of industrial nitrogen fixation, there is a matching responsibility on Europe to consider the full consequences of excess nitrogen in the environment. It is thus appropriate that this assessment coincides with the centenary of Fritz Haber’s discovery (Erisman *et al.*, 2008).

In most areas of Europe, there is a surplus of reactive nitrogen, both from agricultural fertilizer inputs and from combustion-based nitrogen oxide emissions. The main focus of the European Nitrogen Assessment (ENA) is therefore on quantifying and managing the environmental impacts. We recognize, by contrast, that, in other parts of the world, a shortage of reactive nitrogen still limits food production. The ENA will thus complement other continental nitrogen assessments, together with which, it will provide a platform to start addressing the wider global picture.

In refining the European Nitrogen Assessment, a close interaction has been developed with key stakeholders, including science communities, policy makers, industry representatives and environmental managers (Figure 1.2). The ENA itself has been developed through a cluster of several European networks, under the lead of the Nitrogen in Europe (NinE) framework research programme of the European Science Foundation (ESF). NinE has worked to integrate scientific understating across nine main interlinked environmental concerns of excess nitrogen, drawing on both national and EU activities (NinE, 2010; Bleeker *et al.*, 2008). Major contributions to the ENA have been provided through the COST 729 Action on ‘Managing Nitrogen in the Atmosphere-Biosphere System in Europe’, which examines nitrogen impacts and policy interactions including the development of integrated assessment approaches (COST, 2010). In addition, underpinning research, especially on nitrogen-greenhouse gas interactions, has been provided by the NitroEurope Integrated Project (NEU, 2010; Sutton *et al.*, 2007, 2009), funded by the European Commission 6th Framework Programme.

Together, these activities provide key inputs to the International Nitrogen Initiative (INI), a joint project of the Scientific Committee on Problems of the Environment (SCOPE) and the International Geosphere Biosphere Programme (IGBP). The INI is structured around the activities of six regional centres, with the ENA representing a contribution of the INI European Centre. By having a global oversight, the INI provides




Figure 1.2 The place of the European Nitrogen Assessment in relation to major research networks, integrating activities and policy frameworks.

a coordinating forum with which other continental nitrogen assessments are being developed.

By addressing the linkages between issues, the ENA is specifically designed to support the work of several international conventions. These include:

- the Convention on Long-range Transboundary Air Pollution (CLRTAP) of the United Nations Economic Commission for Europe (UNECE),
- the UN Framework Convention on Climate Change (FCCC),
- the UN Convention on Biological Diversity (CBD),
- the Helsinki Convention on the Protection and Use of Transboundary Watercourses and International Lakes (Water Convention) of the UNECE,
- the UNECE Espoo Convention on Environmental Impact Assessment in a Transboundary Context (TEIA Convention),
- the Marine Conventions for the North Atlantic and North Sea, Baltic Sea and Mediterranean Seas: respectively, the Oslo and Paris Commission (OSPARCOM), the Helsinki Commission (HELCOM) and the Barcelona Convention.

Given the scale of activity in each of these different conventions, coupled with the substantial legislative programme of the European Union, the challenge of communication between conventions is substantial. The CLRTAP has a long-standing experience of developing multi-pollutant multi-effect strategies, such as in the Gothenburg Protocol. At the same time, many of the environmental effects of reactive nitrogen are connected to long-range transport in the atmosphere. Recognizing this challenge, in 2007 the CLRTAP established the Task Force on Reactive Nitrogen (TFRN) (UNECE, 2007). This Task Force works to investigate the linkages between nitrogen issues across the CLRTAP and encourage communication of the nitrogen-related interactions between conventions, as a base to develop more effective mitigation strategies. Considering the obvious affinities, the TFRN adopted the European Nitrogen Assessment into its work plan, thereby providing an important bridge to policy makers in the CLRTAP and the other international conventions.

The European Nitrogen Assessment process represents a four year effort over 2007 to 2011. The outline structure and objectives of the ENA were initially developed through a workshop with key stakeholders in Schaagen, the Netherlands, in January 2007, being refined through subsequent meetings linked to NinE, COST 729, NitroEurope and the CLRTAP. Based on the structure established, the ENA process was developed as a series of five main workshops taking place through 2008–2009, linked to five main sections of the assessment.

For each of the workshops, background documents were invited as a basis to inform working group discussions, from which draft chapters of the ENA were prepared. Following successive tuning between different parts of the assessment, revised chapters were reviewed within the wider ENA team. Finally, each of the chapters was subjected to international peer review prior to publication.

1.4 Overall goal and structure of the European Nitrogen Assessment

Based on the developments described above, the overall goal of the European Nitrogen Assessment was established as being *to review current scientific understanding of nitrogen sources, impacts and interactions across Europe, taking account of current policies and the economic costs and benefits, as a basis to inform the development of future policies at local to global scales.*

In taking this approach, it was recognized that the ENA required the involvement of a wide variety of actors, focused especially in bringing together scientists of different disciplines, together with economists and experts in policy development. Given the magnitude of this challenge, the ENA was developed to establish a process of gradual integration between communities.

The following main workshops were held as the basis for the matching parts of this assessment.

I Nitrogen in Europe: the present position. The focus of this part is to take stock of the current nitrogen challenges faced by Europe. The scene is set by considering both the European environmental threats in the global context (Chapter 2; Erisman *et al.*, 2011) and the significant benefits of reactive nitrogen production (Chapter 3; Jensen *et al.*, 2011). The multiplicity of current European policies relevant to nitrogen in the environment is then reviewed (Chapter 4; Oenema *et al.*, 2011a), followed by a reflection of the developing approach taken by the ENA to link different science and policy areas more closely (Chapter 5; Sutton *et al.*, 2011).

II Nitrogen processing in the biosphere. The aim of this part is to review recent progress in scientific understanding of the nitrogen cycle and to highlight the major uncertainties. The focus on processes deliberately emphasizes the fundamental interactions between the many forms of nitrogen as these occur in different environmental compartments. Recognizing the specialized nature of the nitrogen research communities, this part makes a first step toward integration by including consideration of all different nitrogen forms into each chapter, while retaining the distinctive expertise of research communities on terrestrial ecosystems (Chapter 6; Butterbach-Bahl *et al.*, 2011a), freshwater aquatic ecosystems (Chapter 7; Durand *et al.*, 2011), coastal and marine ecosystems (Chapter 8; Voß *et al.*, 2011) and, finally, nitrogen processing in the atmosphere (Chapter 9; Hertel *et al.*, 2011).

III Nitrogen flows and fate at multiple spatial scales. The next step of integration, as addressed in this section, is to scale up nitrogen processes through the range of different spatial domains. For this part of the assessment, science communities were increasingly linked between environmental compartments in order to assess the key interdisciplinary concerns in managing the fate of nitrogen in the environment. The section starts with consideration of nitrogen management at the farm scale, considering the variation in typical nitrogen flows across Europe (Chapter 10; Jarvis *et al.*, 2011). The assessment then increases in scale to consider how adjacent sources and sinks of nitrogen interact within rural landscapes (Chapter 11; Cellier *et al.*, 2011) and urban landscapes, with a focus on

example cities (Chapter 12; Svirejeva-Hopkins *et al.*, 2011). The regional scale transport of reactive nitrogen is then addressed, contrasting the transfers through regional scale watersheds into coastal marine areas (Chapter 13; Billen *et al.*, 2011) to the atmospheric transport and deposition of reactive nitrogen (Chapter 14; Simpson *et al.*, 2011). The approach of developing nitrogen budgets provides a means to consider how different components of the nitrogen cycle fit together (Chapter 15; De Vries *et al.*, 2011), followed by the integrated picture of nitrogen fluxes across Europe (Chapter 16; Leip *et al.*, 2011).

IV Managing nitrogen in relation to key societal threats.

Given the multi-dimensional complexity of reactive nitrogen forms and impacts on the environment, significant effort was given to distilling out the key threats, as discussed in Chapter 5 (Sutton *et al.*, 2011). The idea was to identify a short list of key threats, to which the main concerns of nitrogen could be linked, as a means of visualizing the problem and encouraging more effective communication. The resulting chapters in this section review the consequences of nitrogen in Europe for five key threats: water quality (Chapter 17; Grizzetti *et al.*, 2011), air quality (Chapter 18; Moldanová *et al.*, 2011), greenhouse balance (Chapter 19; Butterbach-Bahl *et al.*, 2011b), terrestrial ecosystems and biodiversity (Chapter 20; Dise *et al.*, 2011) and soil quality (Chapter 21; Velthof *et al.*, 2011). Each of the chapters aims to give evidence of how the threat has developed over time, to highlight the future prospects and to indicate the focus of current mitigation approaches.

V European nitrogen policies and future challenges. The final part of the assessment brings together the key threats to consider how nitrogen might be managed more effectively in the future. The first challenge is to see how different nitrogen threats may be inter-related, including assessment of the costs and benefits of different nitrogen forms in the environment (Chapter 22; Brink *et al.*, 2011). Together with preceding material, this provides a basis to review the options for integrated approaches to manage nitrogen in the environment (Chapter 23; Oenema *et al.*, 2011b). Linked future nitrogen scenarios are then addressed, bringing together each of the main nitrogen threats (Chapter 24; Winiwarter *et al.*, 2011). Two last chapters explore how the developing messages for reactive nitrogen can be communicated. The first considers how to develop coordination between different European policies and international conventions in which nitrogen plays an important role (Chapter 25; Bull *et al.*, 2011). The second considers how the scientific perspective can be distilled to communicate the nitrogen challenge to society at large (Chapter 26; Reay *et al.*, 2011).

In reviewing the overall product, it is clear that the ENA has contributed substantially to bringing the different research, policy and other stakeholder communities together. In this respect the ENA should be considered as much an ongoing process, as it is a book. The present volume thus represents a milestone along the road, rather than a final destination.

The nitrogen story provides a clear example of the great benefits of global geo-engineering. At the same time it provides a warning, demonstrating the complexity and extent of the unanticipated environmental effects. While even more reactive nitrogen will be needed in future, we should aim to pass on an

inheritance that allows for a more-sustainable management of this precious resource.

References

- Billen, G., Silvestre, M., Grizzetti, B. *et al.* (2011). Nitrogen flows from European watersheds to coastal marine waters. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Blackburn, T. H. and Sorenson, J. (1988). *Nitrogen Cycling in Coastal Marine Environments*. (eds.) SCOPE report no. 33. J. Wiley and Son, Chichester.
- Bleeker, A., Reis, S., Britton, C., Erisman, J. W. and Sutton, M. A. (2008). Nitrogen in Europe: activities addressing the European nitrogen cycle. (Actividades relacionadas con el ciclo del Nitrógeno en Europa.) *Seguridad Y Medio Ambiente*, **111**, 6–7, 22–31 (in English and Spanish).
- Brink, C., van Grinsven, H., Jacobsen, B. H. *et al.* (2011). Costs and benefits of nitrogen in the environment. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Bull, K., Hoft, R., Sutton, M. A. (2011). Co-ordinating European nitrogen policies between directives and international conventions. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Butterbach-Bahl, K., Gundersen, P., Ambus, P. *et al.* (2011a). Nitrogen processes in terrestrial ecosystems. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Butterbach-Bahl, K., Nemitz, E., Zaehle, S. *et al.* (2011b). Nitrogen as a threat to the European greenhouse balance. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Cellier, P., Durand, P., Hutchings, N. *et al.* (2011). Nitrogen flows and fate in rural landscapes. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Clow, A. and Clow, N. L. (1952). *The Chemical Revolution: A Contribution to Social Technology*. Reprinted 1970. Books for Libraries Press, Freeport, New York.
- COST (2010). www.cost729.org
- Crookes, W. (1898). Presidential Address to the British Association for the Advancement of Science 1898. *Chemical News*, **78**, 125.
- De Vries, W., Leip, A., Reinds, G. J. *et al.* (2011). Geographic variation in terrestrial nitrogen budgets across Europe. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Dise, N. B., Ashmore, M., Belyazid, S. *et al.* (2011). Nitrogen as a threat to European terrestrial biodiversity. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Durand, P., Breuer, L., Johnes, P. *et al.* (2011). Nitrogen processes in aquatic ecosystems. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Erisman J. W., Sutton, M. A., Galloway, J. N., Klimont, Z. and Winiwarter, W. (2008). How a century of ammonia synthesis changed the world. *Nature Geoscience*, **1**, 636–639.
- Erisman, J. W., van Grinsven, H., Grizzetti, B. *et al.* (2011). The European nitrogen problem in a global perspective. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.

- Galloway, J. N., Townsend A. R., Erisman J. W. *et al.* (2008). Transformation of the nitrogen cycle: recent trends, questions and potential solutions. *Science*, **320**, 889–892.
- Grizzetti, B., Bouraoui, F., Billen, G. *et al.* (2011). Nitrogen as a threat to European water quality. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Haber, F. (1920). The synthesis of ammonia from its elements. Nobel Lecture (1920), available at www.nobelprize.org/nobel_prizes/chemistry/laureates/1918/haber-lecture.pdf
- Hertel, O., Reis, S., Ambelas Skjøth, C. *et al.* (2011). Nitrogen processes in the atmosphere. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Jarvis, S., Hutchings, N., Brenttrup, F., Olesen, J. and van der Hoek, K. (2011). Nitrogen flows in farming systems across Europe. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Jensen, L. S., Schjoerring, J. K., van der Hoek, K. *et al.* (2011). Benefits of nitrogen for food fibre and industrial production. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Leigh, G. J. (2004). *The Worlds' Greatest Fix: A History of Nitrogen and Agriculture*. Oxford University Press.
- Leip, A., Achermann, B., Billen, G. *et al.* (2011). Integrating nitrogen fluxes at the European scale. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Moldanová, J., Grennfelt, P., Jonsson, Å. *et al.* (2011). Nitrogen as a threat to European air quality. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Mosier, A. R., Syers, J. K. and Freney, J. R. (eds.) (2004). *Agriculture and the Nitrogen Cycle*, SCOPE report no. 65. Island Press, Washington, DC.
- NEU (2010). www.nitroeuropa.eu
- Oenema, O., Bleeker, A., Braathen, N. A. *et al.* (2011a). Nitrogen in current European policies. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Oenema, O., Salomez, J., Branquinho, C. *et al.* (2011b). Development of integrated approaches to nitrogen management. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Partington (1925). *Textbook of Inorganic Chemistry*, 2nd edition, Macmillan, London.
- NinE (2010). www.nine-esf.org
- Reay, D. S., Howard, C. M., Bleeker, A. *et al.* (2011). Societal choice and communicating the European nitrogen challenge. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Simpson, D., Aas, W., Bartnicki, J. *et al.* (2011). Atmospheric transport and deposition of nitrogen in Europe. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Smil, V. (2001). *Enriching the Earth: Fritz Haber, Carl Bosch, and the Transformation of World Food Production*. MIT Press, Cambridge, MA.
- Stewart, W. D. P. and Rosswall, T. (eds.) (1982). *The Nitrogen Cycle*, The Royal Society, London.
- Sutton, M. A., Nemitz, E., Erisman, J. W. *et al.* (2007). Challenges in quantifying biosphere-atmosphere exchange of nitrogen species. *Environmental Pollution*, **150**, 125–139.
- Sutton, M. A., Erisman, J. W., Dentener, F. and Moeller, D. (2008). Ammonia in the environment: from ancient times to the present. *Environmental Pollution*, **156**, 583–604.
- Sutton, M. A., Reis, S. and Butterbach-Bahl, K. (2009). Reactive nitrogen in agro-ecosystems: integration with greenhouse gas interactions. *Agriculture, Ecosystems and Environment*, **133**, 135–138.
- Sutton, M. A., Howard, C. M., Erisman J. W. *et al.* (2011) The need to integrate nitrogen science and policies. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Svirejeva-Hopkins, A., Reis, S., Magid, J. *et al.* (2011). Nitrogen flows and fate in urban landscapes. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Söderlund, R. and Svensson, B.H. (1976). The global nitrogen cycle. In: *Nitrogen, Phosphorus and Sulphur: Global Cycles*, eds. B. H. Svensson and R. Söderlund, SCOPE report no. 7, *Ecological Bulletin, Stockholm*, **22**, 23–73.
- UNECE (2007). Establishment of a Task Force on Reactive Nitrogen. Executive Body of the Convention on Long-Range Transboundary Air Pollution, Decision 2007/1, ECE/EB.AIR/91/Add.1.
- Velthof, G., Barot, S., Bloem, J. *et al.* (2011). Nitrogen as a threat to European soil quality. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Vincent, C. (1901). *Ammonia and Its Compounds, Their Manufacture and Uses* (trans. M. J. Salter). Scott, Greenwood & Co., London.
- Voß, M., Baker, A., Bange, H. W. *et al.* (2011). Nitrogen processes in coastal and marine systems. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.
- Watt, J. G. (2003). A brief history of the Chilean nitrates industry. *CIM Bulletin*, **96**, 84–88.
- Winiwarter, W., Hettelingh, J. P., Bouwman, L. *et al.* (2011). Future scenarios of nitrogen in Europe. In: *The European Nitrogen Assessment*, ed. M. A. Sutton, C. M. Howard, J. W. Erisman *et al.* Cambridge University Press.